BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA4113**

Sample Received: **April 30, 2026** COA Issued: **May 6, 2026**

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Batch Number:	MW (g/mol):
Triumphant Labs	**SLU-PP-332 5mg**	**White lyophilized powder**	**SLU-PP-332**	**663.4**

ANALYTICAL METHODS

Identity: Confirmed via MALDI–MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result		Method	Status
Identity: SLU-PP-332	**SLU-PP-332**		**MALDI-MS**	✓ Conforms
Content	Original:	**5.32 mg**	HPLC Quantitation	✓ Conforms
	Conformity:	**5.19 mg**		
Overall Purity	Original:	**99.7%**	RP-HPLC (214 nm)	✓ Conforms
	Conformity:	**99.7%**		

ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 9.525 min)





Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: https://bioviridians.com/coa-search.html

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.

Contact: info@bioviridians.com